



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Salt Lake City

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 3386-2S(HW)2112/2006

DATED : 12-03-2007

DIRECTION

WHEREAS **AZAD METAL WORKS**, (hereinafter referred as the industry) have its secondary lead smelting unit at Jaladhulagori, P. O. – Dhulagori, Dist. – Howrah.

WHEREAS an inspection was carried out by the Waste Management Cell of WEST BENGAL POLLUTION CONTROL BOARD (hereinafter referred as the Board) on 18-01-2007. During inspection it was observed that the industry has started constructing a rotary kiln without obtaining clearance from the Board.

WHEREAS, a hearing was conducted in the Head Office of the Board on 16-02-2007 involving the unit.

NOW THEREFORE, in exercise of the powers conferred under Air (Prevention & Control of Pollution) Act, 1981, Hazardous Waste (Management & Handling) Rules and its subsequent amendments and Environment (Protection) Act, 1986 and Rules made thereunder **M/S. AZAD METAL WORKS** is hereby directed as under :

1. That the industry should stop the construction activity of the rotary kiln immediately.
2. That, the industry should obtain NOC from the Howrah Regional Office of the Board before starting further construction activity.
3. That, the industry should not start the operation/processing of lead bearing hazardous waste without obtaining necessary registration from the Central Pollution Control Board
4. That, the industry should not procure any lead scrap or any other lead waste for reprocessing it pending obtaining registration from the Central Pollution Control Board, New Delhi, as this is prohibited under Rule 21 of Hazardous Waste (Management & Handling) Rules and its amendments.
5. **That the said unit should submit Pollution Cost of Rs.50,000/- (Rupees Fifty Thousand) only, within fifteen (15) days from the date hereof by Demand Draft to be drawn on Service Branch, Kolkata/Banker's Cheque in favour of West Bengal Pollution Control Board for violating the environmental statute by starting construction of rotary kiln without obtaining NOC from the Board.**

This has the approval of the Competent Authority.

Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**