



**WEST BENGAL POLLUTION CONTROL BOARD**

( Department of Environment, Govt. of West Bengal )

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Salt Lake City

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

**MEMO NO.: 3385-94/WPB/SEE-K.O.-GEN/2003**

**DATED : 12-03-2007**

**DIRECTION**

WHEREAS, **UIC WIRES LTD.** (hereinafter referred as the Industry) having its pickling and galvanizing unit in the Industrial Centre, Phase-III, Kalyani, Dist. – Nadia

WHEREAS, a public complaint was lodged against the industry before the WEST BENGAL POLLUTION CONTROL BOARD (hereinafter referred as the Board) by Shri Ganga Ram Chakraborty, Secretary, Udit Co-operative Housing Society alleging that the unit is causing air pollution and emanating acid fumes and black smoke and causing deposition of black carbon particles in the campus of the housing complex.

WHEREAS, an inspection was caused by the Regional Office of the Board on 05-01-2007. During inspection it was found that both pickling section and galvanizing section were in operation, but the scrubbers were non-functional due to breakage of pumps. Subsequent inspection on 16-01-2007 revealed that the defects in the scrubber have been rectified and the scrubber was operational.

WHEREAS, a hearing was conducted in the Head Office of the Board on 16-02-2007 .

NOW THEREFORE, in exercise of the powers conferred under Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder **M/S. UIC WIRES LTD** is hereby directed as under :

1. That, the industry should always comply with the environmental with efficient functioning of the pollution abatement systems.
2. That, the industry should take down a shut down of its manufacturing activity whenever the pollution abatement systems fail to function for whatever reasons.
3. **That the said unit should submit Pollution Cost of Rs.50,000/- (Rupees Fifty Thousand) only, within fifteen (15) days from the date hereof by Demand Draft to be drawn on Service Branch, Kolkata/Banker's Cheque in favour of West Bengal Pollution Control Board for violating the environmental norms by operating the pickling unit keeping the scrubber in idle condition.**

This has the approval of the Competent Authority.

By Order

**Sd/-**

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell  
West Bengal Pollution Control Board**