



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Salt Lake City

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 458-1A-25/2007

DATED : 07-05-2007

CLOSURE ORDER

In exercise of the powers conferred under Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder and in consideration of the Inspection Report dated 28-08-2006 **M/S. NARMADA SARI PRINTING**, located at Vill.: - Kishorepur, P. O. – Bhineswari Bazar, Dist. – Purba Medinipur is hereby closed by the Board for the reasons stated below.

- i. That, the unit has no arrangement for treatment of wastewater and raw effluent is being discharged directly to the adjacent pond.
- ii. That, the unit operates four numbers wood fired country type ovens without any stack.

The closure order will take immediate effect and Officer-In-Charge, Bhagwanpur Police Station under W.B. Police, is directed to execute the Closure Order against the aforementioned unit and submit the compliance report to the State Board within seven days from the receipt of this Memo.

This direction has been issued to the Officer-In-Charge, Bhagwanpur Police Station, in conformity with the order of the Hon'ble High Court, Calcutta dated 21-08-1998 and 28-04-1999 respectively.

The Environmental Engineer Haldia Regional Office of the State Board is requested to take necessary steps for proper execution of the closure order and also visit the unit involving the local police station and Nodal Police Officer of the concerned district to oversee the proper execution of the closure order.

This has the approval of the Competent Authority.

By order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**