



**WEST BENGAL POLLUTION CONTROL BOARD**

( Department of Environment, Govt. of West Bengal )

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Salt Lake City

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

**MEMO NO.: 743-PCB-HOW/133-7**

**DATED : 25-05-2007**

**SUSPENSION OF CLOSURE ORDER**

In exercise of the powers conferred under Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder and in consideration of the appeal dated 18<sup>th</sup> May, 2007 made by M/S. **SHREE BIHARIJI FORGING INDUSTRIES.**, located at 20/2, Belur Road, Liluah, P. S. – Bally, Dist. – Howrah, PIN – 711 107 the unit is hereby allowed to operate till 30<sup>th</sup> November, 2007.

- I. That the unit should upgrade its Air Pollution Control System for the coal fired boiler in the forging division within 30<sup>th</sup> July, 2007 to ensure clear stack and meet with the particulate emission standard.
- II. That the unit should not operate its boiler without operating the pollution control system attached to it.
- III. That the unit should submit a compliance report to the Howrah Regional Office of the Board with a copy to the undersigned.
- IV. **That, the unit should submit a Bank Guarantee (proforma enclosed) of Rs.1.00 Lakh (Rupees One Lakh only) [valid for twelve months] in favour of WEST BENGAL POLLUTION CONTROL BOARD within seven (7) days from the date hereof to ensure compliance of the environmental norms as per undertaking submitted by the unit.**

In case of non-compliance of the aforementioned directions by the said unit, the State Pollution Control Board will take recourse to its earlier order without any further reference.

This order has the approval of the Competent Authority.

By Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell  
West Bengal Pollution Control Board**