



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Bidhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 1255-2S(HW)2135/2007

DATED : 16-07-2007

D I R E C T I O N

WHEREAS, **M/S. CLASSIC DYEING PROCESSORS**, (hereinafter referred as the industry) operates its dyeing & bleaching unit at Bagmari More, P. O. – Maheshtala, Dist. – 24 Parganas (South)

WHEREAS, an inspection of the industry carried out by the Assistant Environmental Engineer- Waste Management Cell of the WEST BENGAL POLLUTION CONTROL BOARD (hereinafter referred as the Board) on 24-05-2007 revealed that the Effluent Treatment System was in a defunct condition and the unit was discharging untreated effluent generated from dyeing and bleaching operation directly to Jalkhura Khal. Display Boards for displaying the environmental information have not been installed.

WHEREAS, a hearing was conducted involving the industry on 08-06-2007 in the head office of the Board.

WHEREAS, in the hearing Shri Bimal Ghosh, Partner of the industry submitted that they may be given a chance to improve the functioning of the Effluent Treatment Plant. Regarding installation of environmental information display boards, he submitted that the display boards were installed which were subsequently removed because of the ongoing drainage work adjacent to the factory premises being carried out by the Municipality.

NOW THEREFORE, in consideration of the noncompliance referred above and in exercise of the powers conferred under Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and Rules made thereunder and Hazardous Waste (Management & Handling) Rules and its subsequent amendments **M/S. CLASSIC DYEING** is hereby directed as follows

1. That, the industry is allowed three months time to improve the functioning of the Effluent Treatment Plant and meet the liquid discharge standard.
2. That, the industry will submit photographs of reinstallation of environmental display boards at the main gate for the factory premises within seven days from the date hereof.
3. That, the industry should submit a Bank Guarantee (proforma enclosed) for Rs.50,000/- (Rupees Fifty Thousand only) valid for twelve months within fifteen (15) days from the date hereof in favour of the WEST BENGAL POLLUTION CONTROL BOARD.
4. That, the industry will have to submit a compliance report within this period to the Waste Management Cell of the Board at the Head Office with a copy to the Alipore Regional Office of the Board.

In case of noncompliance of the above mentioned directions within the stipulated time, the Board may initiate regulatory action without any further reference in the matter.

This has the approval of the Competent Authority.

Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**