



## WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Biddhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

**MEMO NO.: 1468 -PCB-HOW/183-97**

**DATE: 08/08/07**

### DIRECTION

WHEREAS, **M/S. AMBIKA IRON & STEEL WORKS.,** (hereinafter referred as the industry) operates cast iron foundry unit, at 102, "X" Road, Nerajigarh, P. S. – Liluah, Howrah – 711 108

WHEREAS, the unit was inspected by the Howrah Regional Office of the WEST BENGAL POLLUTION CONTROL BOARD (hereinafter referred as the Board) on 22-05-2007. It was observed during the inspection that the unit was operating the cupola furnace keeping the air pollution control system idle.

WHEREAS, a hearing was conducted in the Head Office of the Board on 06-07-2007 involving the industry.

WHEREAS, in the hearing the Proprietor of the industry submitted that due to some mechanical problem they stopped the functioning of the pollution control system and the problem was subsequently rectified. On enquiry, during the hearing, the industry submitted that they do not maintain a log book for operation of pollution control system.

NOW THEREFORE, in consideration of the inspection report and in consideration of the fact that the industry has violated the environmental norms as referred above **M/S. AMBIKA IRON & STEEL WORKS** is hereby directed as under.

1. That, the industry will have to always comply with the environmental norms in respect of particulate emission standard by efficient and proper functioning of the emission control system.
2. That, the industry should take shut down of its manufacturing activity whenever the pollution abatement system fails to function due to whatever reason. In case of such eventuality, the Board should be kept informed
3. That, the industry will have to maintain a log book for the functioning of the pollution control system and the same should be made available on demand to the Officers of the Board from time to time.
4. The industry should report to the Howrah Regional Office of the Board if the pollution control system does not function for a short period of time for reasons beyond their control.
5. That, the industry should submit Pollution Cost of Rs.50,000/- (Rupees Fifty Thousand only) within fifteen [15] days from the date hereof by Demand Draft

payable at Service Branch Kolkata/Banker's Cheque in favour of the WEST BENGAL POLLUTION CONTROL BOARD.

6. That, the industry should submit a Bank Guarantee (proforma enclosed) of Rs.1.00 Lakh (Rupees One Lakh only) valid for twelve months [12] months within fifteen days from the date hereof in favour of the WEST BENGAL POLLUTION CONTROL BOARD to ensure compliance of particulate emission standard.

This direction has been issued by the Board in exercise of the powers conferred under Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder

This has the approval of the Competent Authority

**Order**

**Sd/-**

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell  
West Bengal Pollution Control Board**