



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Biddhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 1516 - WPB-RED(BWN)/CONT(561)/06

DATE: 16-08-2007

CLOSURE ORDER WITH DISCONNECTION OF ELECTRICITY

WHEREAS, **M/S. JAGADAMBA ISPAT PVT. LTD.** (hereinafter referred as the industry) operates its ferrous casting unit using two induction furnaces at Kadavita Road, Maheshpur, P. O. – Maheshpur, P. S. – Salanpur, Dist. – Burdwan.

WHEREAS, inspection of the industry was carried out by the Regional Officials of the West Bengal Pollution Control Board (hereinafter referred as the Board) on 19-02-2007 revealed that the unit has not completed the installation of pollution control system inspite of repeated reminders from the Board and thus operating its induction furnace without the pollution control device violating the N.O.C. conditions.

WHEREAS, a hearing was conducted involving the industry at the Head Office of the Board on 20-07-2007

NOW THEREFORE, in consideration of the environmental noncompliance as recorded above, **M/S. JAGADAMBA ISPAT PVT. LTD.** is hereby closed by the Board. The electricity connection of **M/S. JAGADAMBA ISPAT PVT LTD.** will also be disconnected forthwith.

This order is issued in exercise of the powers conferred under Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder.

The Secretary, Damodar Valley Corporation is requested to disconnect the electricity connection of the industry in question forthwith.

The Officer-In-Charge, Salanpur Police Station under W. B. Police is directed to execute the Closure Order against the aforementioned unit and submit the compliance report to the State Board within seven days from the receipt of this Memo.

This direction has been issued to the Officer-In-Charge, Salanpur Police Station and the Secretary, Damodar Valley Corporation in conformity with the order of the Hon'ble High Court, Calcutta dated 21-08-1998 and 28-04-1999 respectively.

The In-Charge, Asansol Sub-Regional Office of the State Board is requested to take necessary steps for proper execution of the closure order and also visit the units involving the local police station and Nodal Police Officer of the concerned district to oversee the proper execution of the closure order and also ensure the disconnection of electricity of the unit.

This has the approval of the Competent Authority.

Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**