



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Biddhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 1912 -1784-WPB(HRO)-K/2006

DATE: 20-09-2007

SUSPENSION OF CLOSURE ORDER

In consideration of the appeal made by the industry through its letter dated 1st August, 2007 and subsequent inspection report dated 3rd August, 2007, the closure order issued by the Board through Memo No.:598-1784-WPB(HRO)-K/2006 dated 14-05-2007 against **M/S. EASTERN CHLORO CHEM INDUSTRIES** is hereby suspended for six months i.e. up to 15th March, 2008 for assessing the efficacy of the pollution abatement system installed by the industry.

- I. That, the unit will always operate its pollution abatement systems during its manufacturing operation
- II. That, the unit will have to comply with the environmental norms with efficient functioning of the emission control systems and ensure that there is no emission of phenol vapours, chlorine and hydrochloric acid gas.
- III. That, the unit should replace all the temporary pipe connections of the installed pollution control systems like scrubber, suction pipe etc. by rigid and fixed type and the same should be leak and corrosion proof.
- IV. That, the unit should take a shut down of its manufacturing activity whenever the pollution abatement system fails to function due to whatever reason and the same should be intimated to the Board.

This order is issued in exercise of the powers conferred under Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder.

In case of non-compliance of the aforementioned directions by the said unit, the State Pollution Control Board will take recourse to its earlier order without any further reference.

This order has the approval of the Competent Authority.

By Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**