



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Biddhannagar
Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731
2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 3054 - 20L/WOB-2001`-PART-VI

DATE: 07/02/08

SUSPENSION OF CLOSURE ORDER INCLUDING RESTORATION OF ELECTRICITY

The Board hereby withdraw the closure order issued against the following plastic carry bags and/its immediate precursor (in the form of plastic films) manufacturing units vide Memo No.: 2373-20L/WPB-2001-PART-VI dated 20-11-2007, in consideration of the undertakings by the units that they will abide by the Circulars issued by the Board prohibiting the manufacture, sale, use & storage of plastic carry bags having thickness below 40 microns and size below 16" X 12" issued vide Memo No.216-46L/WPB/2003(P-I) dated 04-06-2007, also vide Memo No.524-46L/WPB/2003(PART-I) dated 20-08-2007 [Corrigendum] and 748-46L/WPB/2003-PART-I dated 29-10-2007.

1. M/S. P. K. POLYMERS, 123 B. L. Saha Road, P. S. – Behala, Kolkata – 700 053
2. M/S. SMAK FILM, 2, Tarpan Ghat Road, P. S. – Behala, Kolkata – 700 053
3. M/S. UTTAM Aich P-117, Pashupati Bhattacharjee Road, Prafulla Sen Colony, P. S. – Behala, Kolkata – 700 053
4. M/S. SHAKUND INDUSTRIES, (SHAKUNA INDUSTRIES) 17/104, Buroshibtala Main Road, P. S. – Behala, Kolkata – 700 053

The suspension of closure is issued with the direction to comply with the followings:

1. That, the units are not allowed to manufacture, store and sell plastic carry bags and or its immediate precursor (in the form of plastic films) violating the Board's Circulate i.e. not below 40 micron thickness and not below 16" X 12" size.
2. That, the unit will submit a pollution cost of Rs.30,000/- (Rupees Thirty Thousand only) each within seven (7) days from the date of issue of this order by Demand Draft to be drawn on Service Branch, Kolkata/Banker's Cheque in favour of the WEST BENGAL POLLUTION CONTROL BOARD.

The electricity connection of the above mentioned units is also hereby ordered to be restored.

The General Manager - Operations (C&M), M/S. CESC LTD. is requested to restore the electricity connection of the above mentioned units immediately.

This order has the approval of the Competent Authority.

Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**