



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Biddhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 3077 - 1A-154/2000-PART-I

DATE: 12-02-2008

SUSPENSION OF CLOSURE ORDER WITH RESTORATION OF ELECTRICITY

The closure order issued by the West Bengal Pollution Control Board against **M/s. ASSOCIATED PIGMENTS LTD.**, located at Mouza Kanakpur, P. O. – Naranda, P. S. – Panskura, District – Purb Medinipur vide Memo No.2946-1A-54/2000-PART-I dated 22/24/01-2008 is hereby withdrawn in consideration of the prayer made by the industry through their letter dated 30th January, 2008 and the report of the subsequent inspection carried out by the Board Officials on 01-02-2008.

The conditions of withdrawing the closure order are as under:

1. That, the unit is not allowed to use battery scraps or any other lead bearing hazardous waste to produce lead ingot using the rotary furnace pending obtaining necessary registration from the Central Pollution Control Board for reprocessing of lead containing hazardous waste under the provision of Hazardous Waste (Management & Handling) Rules, 1989 and its subsequent amendments.
2. That, the unit is permitted to operate the pot furnaces for refining of lead and also one (1) No. rotary furnace for extracting lead ingot using lead concentration as raw material which is not a hazardous waste.

The electricity connection of M/s. ASSOCIATED PIGMENTS LTD. is also ordered to be restored immediately.

The Secretary, WBSEB is requested to take action to restore the electricity connection of the industry immediately.

This order is issued under provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and the Hazardous Waste (Management & Handling) Rules, 1989 Rules made thereunder.

In case of non-compliance of the aforementioned directions by the said unit, the State Pollution Control Board may take recourse to its earlier order without any further reference in the matter.

This order has the approval of the Competent Authority.

Order

Sd/-

(Dr. D. Chakraborty)

Chief Scientist & Head-Technical Cell

West Bengal Pollution Control Board