



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Biddhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 3394 -2A-/Z-II/R/58-001/01

DATE: 14-03-2008

SUSPENSION OF CLOSURE ORDER WITH RESTORATION OF ELECTRICITY

In consideration of the appeal made by the industry for suspension of closure order through its letter dated and the report of inspection report of the unit dated 22nd February, 2008, the closure order of China clay pulverizing unit of **M/S. A. K. PRODUCTS**, located at 2, Chinghrihatta Lane, P. O. & P. S. – Tangra, Kolkata – 700 015, issued by the Board vide Memo No.1149(5)-5L/WPB/2005/A-14 dated 14th July, 2007 is here by suspend the **for three months i.e. up to 15th June, 2008** with the following conditions. **The electricity connection (440V) of the unit will also be restored immediately up to that period.**

1. That the unit will be monitored within one month from the date of issuance of this order to assess the efficacy of the emission management measures taken by the unit.
2. If the emission management system is found unsatisfactory, the unit will be closed permanently without any further reference in the matter.

The General Manager – Operations (C& M), M/S. CESC LTD. is requested to restore the electricity connection (440 V) of the unit immediately.

This order is issued in exercise of the powers conferred under Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder.

This order has the approval of the Competent Authority.

By Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**