



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Biddhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 3378 -PCB-HOW-181-2001

DATE: 13-11-2009

To

M/s. Murshed Galvanizing Works

43, Ashu Bose Lane,

HOWRAH – 711 101

Ref. : Technical Hearing conducted on 11-09-2009

Dear Sir,

Enclosed please find a copy of the minutes of the technical hearing of your unit conducted on 11-09-2009 at the Head Office of the Board and the report of inspection dated 05-10-2009. You are hereby directed to comply with the following directions:

- The industry should take adequate step to modify the suction system fitted over the zinc bath for arresting fumes from the zinc bath.
- The industry should not operate after 10-00 P. M. and before 06-00 A. M. pending taking appropriate action to prevent emanation of noise from material handling and blower motor/fan.
- The industry should comply the provisions of the Hazardous Waste (Management & Handling Rules) and sell the zinc dross/ash and spent acid to the registered reprocessors only with proper record keeping.
- The industry should not carry out any fluxing operation using ammonium chloride in their factory premises as it is surrounded by residential houses and follow the practice currently in use.

In case of non-compliance of the above directions, the Board will initiate stricter regulatory action against your industry.

Yours faithfully,

Sd/-

(S. Mukherjee)

Member Secretary

West Bengal Pollution Control Board