



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10A, LA Block, Sector-III, Bidhannagar

Kolkata-700 098

Tel: 2335-9088, 2335-7428, 2335-8211, 2335-8073, 2335-6731

2335-0261, 2335-8212, 2335-8213, 2335-8861, 2335-5975

Fax: (0091) (033) 2335-6730 / 2335-2813

MEMO NO.: 924-WPB/SRO/JAL-U-03-98

DATED : 14-06-2007

D I R E C T I O N

WHEREAS, **M/S. UTTAR BANGA RE-ROLLING MILLS (P) LTD.** (hereinafter referred as the industry) operates its coal fired rolling mill at 4th Mile, Sevoke Road, P. O. – Salugara, P. S. – Bhaktinagar, Dist. – Jalpaiguri.

WHEREAS, monitoring and inspection of the industry was carried out by the Regional Office of the **WEST BENGAL POLLUTION CONTROL BOARD** (hereinafter referred as the Board) on 30-03-2007.

WHEREAS, the monitoring results for particulate emission (185.19 mg./Nm³) of 30-03-2007 shows that the unit failed to meet the particular emission standard. However, the emission level was lower than that observed during the previous monitoring (959.47 mg./Nm³) carried out on 20-12-2006.

WHEREAS, a hearing was conducted involving the industry on 18-05-2007 in the head office of the Board.

WHEREAS, in the hearing Shri Sandip Killa, Director of the industry submitted that they will improve the efficacy of the pollution control system and comply with the emission standard for particulate matter within six months.

NOW THEREFORE, in exercise of the powers conferred under Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Rules made thereunder **M/S. UTTAR BANGA RE-ROLLING MILLS (P) LTD.** is hereby directed as follows

1. That, the industry is allowed six (6) months time from the date hereof for compliance of particulate emission standard through improvement of the efficacy of the pollution abatement system.
2. That, the industry should always operate its pollution abatement system during the manufacturing operation.
3. That, the industry should submit a compliance report to the Siliguri Regional Office of the Board with a copy to the undersigned within six months.

In case of the non-compliance of the above directions by the industry within the stipulated time, the Board may have to issue necessary regulatory order without any further reference.

This has the approval of the Competent Authority.

By Order

Sd/-

(Dr. D. Chakraborty)

**Chief Scientist & Head-Technical Cell
West Bengal Pollution Control Board**