West Bengal Pollution Control Board
(Department of Environment, Government of West Bengal)
Paribesh Bhawan, Bldg. 10A, Block LA
Sector III, Salt Lake, Kolkata 700 098
Tel: 2335-6730, 2335-9088/7428/8211/6731/0261/8861
Fax: (0091) (033) 2335-2813

Memo no : 2361-WPBA/Red(BWN)/Cont.(524)/06 Date : 10/12/2012

SUSPENSION OF CLOSURE ORDER WITH RESTORATION OF ELECTRICITY

In due consideration of the appeal of the industry dated 17/10/2012 to the **West Bengal Pollution Control Board** (hereinafter referred to as the Board) for suspension of closure and report of inspection conducted by the Board officials on 01.11.12**,** the Board is hereby pleased to **suspend** the Order for Closure along with Disconnection of Electricity issued vide Memo No. 2018-WPBA/ Red(BWN)/Cont.(714)/11 Dated 11/10/2012 against **M/s. Shyam Sundar Briquette & Soft Coke Industries** (hereinafter referred to as the industry) located at Vill.-Alipur , P.O.-Panuria, P.S.- Barabani, Dist.- Burdwan to judge the efficacy of the air pollution control device**.**

The industry is directed to comply with the following conditions:-

1. **That,** the industry shall take necessary steps to comply with environmental norms with efficient functioning of air pollution control devices attached to all units operation.

2. **That,** the industry shall not operate without obtaining 'Consent to Operate' from the State Board.

3. **That,** the industry shall obtain necessary permission from the other concerned authorities.

The electricity connection of the industry is ordered to be restored with immediate effect.

The Director (HR), WBSEDCL is requested to take necessary steps for restoration of electricity connection of the above mentioned industry immediately.

The Assistant Environmental Engineer & In-charge, Asansol sub-Regional Office of the Board is requested to monitor the industry for compliance of the directions mentioned above and to judge the efficacy of the air pollution control device. If the industry is again found to operate violating the environmental norms and the directions issued by the Board and the above conditions, the Board will be at liberty to take stricter regulatory action against the industry.

This order has the approval of the Competent Authority.

By Order,

Sd/-
Chief Engineer
Operation & Execution Cell
West Bengal Pollution Control Board